

ADMINISTRATIVE REVIEW OF DETACHED ACCESSORY STRUCTURES & APPLICATION TO INCREASE HEIGHT AND/OR FLOOR AREA

All detached accessory structures must meet zoning code standards intended to prevent accessory structures from becoming the predominant element on site. Accessory structures must be subordinate in area to the principal structure on site. Note: This handout does not apply to detached accessory dwelling units.

This handout identifies general requirements associated with detached accessory structures. It is not meant to be a comprehensive guide as each property has unique characteristics and additional requirements may apply.

GENERAL REQUIREMENTS FOR ALL DETACHED STRUCTURES


| | |
|--|---|
| Maximum Footprint | 676 square feet or 10% of the lot area, up to 1,000 square feet (537.60 – Maximum floor area). In order to exceed 676 square feet, you must match the principal structure in exterior materials and roof pitch. If exceeding 676 square feet, the administrative height/floor area application is required. |
| Building Coverage | Principal and accessory structure coverage is limited to 45% of the lot area (546.140 – Maximum Lot Coverage). |
| Impervious Surface Coverage | Impervious surface coverage is limited to 60% of the lot area – this includes all structures, driveways, walkways, steps, decks, porches, and generally everything other than grass and landscaping (546.150 – Impervious Surface Coverage). |
| Gross Floor Area | The gross floor area of the principal structure must be greater than the gross floor area of the accessory structure(s). |
| Eave Projection | Eaves cannot be closer than six (6) inches to the lot line (535.280 – Permitted Obstructions); Building Code standards require that the eave is not closer than eight (8) inches to the lot line. |
| Distance from Dwelling | All detached structures must be at least six (6) feet from habitable space excluding detached ADU's (537.80 – Distance from Dwelling). |
| Distance from Adjacent Dwelling | The detached accessory structure cannot be located closer than 10' to habitable space of an adjacent property dwelling (535.280 – Obstructions in Required Yards). |

HEIGHT: Detached accessory structure height is measured from grade to the highest roof point of a shed/flat roof, the midpoint between the peak and the eaves for hip, gable, and gambrel roofs, and the deck level of a mansard roof.

WALL HEIGHT: The wall height is measured from grade to the exterior intersection of the wall and the roof rafters for hip, gable, or flat roofs and to the low eave side for shed roofs.

The height of the detached accessory structure determines the

standards required. The height of structures is broken into three sections; each section has different requirements and standards. See the table on the following page for requirements:



DETACHED ACCESSORY STRUCTURE STANDARDS

| Height | Up to 13' | Up to 16' | Up to 20' |
|------------------------------|--|--|--|
| Land-Use App Required | No | Yes | Yes |
| Wall Height Maximum | 10 feet | 10 feet | 14 feet – Please note that depending on the design of the garage – it may be considered a two-story and thus, double the gross floor area. |
| Exterior Materials | N/A | Match principal structure; may be composed of a different material as long as the color and lap match. | Match principal structure; may be composed of a different material as long as the color and lap match. |
| Roof Pitch | N/A | Match principal structure | N/A |
| Eaves | N/A | N/A | Match the principal structure or projects up to two feet, whichever is less |
| Window Requirement | N/A | N/A | Not less than 5 percent of an upper level of a wall with a gable/dormer facing a public street or alley shall be windows |
| Trim | N/A | N/A | Match the principal structure or is at least 3.5 inches in width |
| Setbacks | 1' interior side and rear when in the rear 40' or 20% of the lot, except where vehicle access doors face the rear lot line, in which case no reduction of the rear yard is permitted. If not in rear 40' or 20% standard setbacks apply. | 1' interior side and rear when in the rear 40' or 20% of the lot, except where vehicle access doors face the rear lot line, in which case no reduction of the rear yard is permitted. If not in rear 40' or 20% standard setbacks apply. | 3' interior side and rear when in the rear 40' or 20% of the lot, except where vehicle access doors face the rear lot line, in which case no reduction of the rear yard is permitted. If not in rear 40' or 20% standard setbacks apply. |

GENERAL INFORMATION & INFORMATION RELATING TO OTHER CITY DEPARTMENTS

LOCATING THE LOT LINE: The building permit applicant is responsible for locating the lot line/iron markers on the related boundaries of the property. The iron markers are in the corners of the property, most commonly one foot in from the edge of the paved alley. The Building Inspector for the City of Minneapolis may require that a Registered Land Surveyor certify the exact property marker locations. Alley right-of way width varies but is usually 12 or 14 feet.

CURB CUTS: Permits must be obtained from the Public Works department, routed through the Development Review Customer Service Center. Contact Minneapolis 311, 612-673-3000.

REMOVING A PUBLIC BOULEVARD TREE OR PLACING DRIVEWAYS NEAR A BOULEVARD TREE: Permission must be obtained from the Park Board, 612-370-4900.

For reasonable accommodations or alternative formats please contact 311 at 612-673-3000. People who are deaf or hard of hearing can use a relay service to call 311 at 612-673-3000. TTY users call 612-673-2157 or 612-673-2626.
 Para asistencia 612-673-2700 - Rau kev pab 612-673-2800 - Hadii aad Caawimaad u baahantahay 612-673-3500.

ADMINISTRATIVE REVIEW OF ACCESSORY STRUCTURES TO INCREASE HEIGHT AND/OR FLOOR AREA CHECKLIST

Staff will only accept applications that include all of the items listed below. If any of the items are missing at the time of submittal, staff will not accept the application.¹

| | |
|--|---|
| | Completed Application Worksheet. |
| | Correct fees paid (checks payable to Minneapolis Finance Department). |
| | One copy of scaled and dimensioned elevations showing the roof pitch, eaves, and trim of the principal structure. |
| | Two copies (plus one 8 ½ x 11) of a scaled and dimensioned site plan. ² Must include the following items: <ul style="list-style-type: none"> ▪ All property lines. ▪ Streets, sidewalks and alleys, include existing and proposed curb cuts. ▪ Adjacent uses (show location and identify). ▪ Building footprints (including all existing accessory structures). ▪ Impervious surfaces (driveways, walkways, decks, etc.) and material construction. |
| | Two copies (plus one 8 ½ x 11) of a scaled and dimensioned floor plans of all floors of the principal dwelling. |
| | Two copies (plus one 8 ½ x 11) of scaled and dimensioned accessory structure elevations. ² Must include the following items: <ul style="list-style-type: none"> ▪ Roof pitch. ▪ Materials. ▪ Grade level. ▪ Eave overhangs. ▪ Trim width. |
| | Photos of all sides of the principal structure. |

FEES


| APPLICATION TYPE | FEE (DOLLARS) |
|---|---------------|
| Administrative reviews to increase height or floor area of accessory structures | 200 |

¹ City staff will review the initial application submission and will notify the applicant of what, if any, additional information must be submitted for staff to evaluate the application for approval or denial. Please be aware that supplemental information may also be requested during the evaluation and hearing process.

² If the application is approved, two copies will be returned to the applicant with a zoning certificate of approval. These copies should be submitted to the Building Plan Review office when applying for building permits.

For reasonable accommodations or alternative formats please contact 311 at 612-673-3000. People who are deaf or hard of hearing can use a relay service to call 311 at 612-673-3000. TTY users call 612-673-2157 or 612-673-2626.
 Para asistencia 612-673-2700 - Rau kev pab 612-673-2800 - Hadii aad Caawimaad u baahantahay 612-673-3500.

ILLUSTRATED SETBACKS FOR THE BASE GARAGE HEIGHT OF 13 FEET & FOR 16 FOOT GARAGES WHERE THE PROPOSED STRUCTURE MATCHES THE ROOF PITCH AND MATERIALS OF THE PRINCIPAL STRUCTURE. GREATER SETBACK APPLY FOR GARAGES TALLER THAN 13 FEET WHERE PITCH AND MATERIALS DO NOT MATCH.



For reasonable accommodations or alternative formats please contact 311 at 612-673-3000. People who are deaf or hard of hearing can use a relay service to call 311 at 612-673-3000. TTY users call 612-673-2157 or 612-673-2626. Para asistencia 612-673-2700 - Rau kev pab 612-673-2800 - Hadii aad Caawimaad u baahantahay 612-673-3500.

APPLICATION WORKSHEET

| | | | |
|---|--|------------------------------------|--------------------------|
| Property Information | Address(es) | | |
| | Identification Number | | |
| | Legal Description | | |
| | Lot Area | | |
| Property Owner/Applicant | Name | | |
| | Mailing Address Including City, State and Zip Code | | |
| | Phone Number | | |
| | Email | | |
| Applicant's Representative <i>This person will be the primary contact for staff, and is the authorized agent in place of the property owner</i> | Name | | |
| | Mailing Address Including City, State and Zip Code | | |
| | Phone Number | | |
| | Email | | |
| Building Data <i>Fill in existing & proposed even when no change is proposed</i> | Roof Pitch | Principal Structure: /12 | Accessory Structure: /12 |
| | Exterior Materials | Principal Structure: | Accessory Structure: |
| | Eave Projection | Principal Structure: | Accessory Structure: |
| | Trim Width | Principal Structure: | Accessory Structure: |
| | Window Requirement | Principal Structure: -----N/A----- | Accessory Structure: |

ACCURACY DECLARATION

My signature attests to the fact that the attached application is complete and accurate to the best of my knowledge. I understand that the staff review of this application is dependent upon the accuracy of the information provided and that any inaccurate or inadequate information provided may delay review of my application or may result in denial of my request.

Property owner's signature (if different from applicant): _____

Applicant's name (please print): _____

Applicant's signature: _____

For reasonable accommodations or alternative formats please contact 311 at 612-673-3000. People who are deaf or hard of hearing can use a relay service to call 311 at 612-673-3000. TTY users call 612-673-2157 or 612-673-2626.
Para asistencia 612-673-2700 - Rau kev pab 612-673-2800 - Hadii aad Caawimaad u baahantahay 612-673-3500.