# **Application Form**

STR



**Inspections Services Regulatory Services** 505 South 4<sup>th</sup> Avenue, Room 510A Minneapolis, MN 55415 Office 612-673-3000 or 311 TTY 612-673-2157 minneapolismn.gov/short-term-rentals

Office	Use	Only

RLIC #\_\_\_\_\_

Amount

Tier \_\_\_\_\_

CSR Initials \_\_\_\_\_ Date\_\_\_\_

# **APPLICATION FOR A SHORT-TERM RENTAL**

SHORT-TERM RENTAL PROPERTY ADDRESS (INCLUDE ADDRESS #, STREET NAME, & DIRECTIONAL), Apt/Unit(s)#

	APPLICATION TYPE
Registration	Registration is for a homestead property where the owner leaves the property while rented.
License 🗆	A license is for properties that are non-homestead and continually rented on a short-term basis.

RENTAL UNIT	INFORMATION	
if your unit is a condominium, you don't nee	d to enter your short-term rental	unit count
PLATFORMS (Airbnb, VRBO, etc. list all)	TOTAL UNITS IN BUILDING	SHORT-TERM RENTAL UNITS
INSURER NAME		INSURANCE POLICY NUMBER

	APPLICANT (al	l fields required)		
when a property is owned by a	corporation or LLC, an associated nat	tural person must be listed in this section	on, and a copy of t	the Articles of
Organization	listing the shareholders of the corpor	ration or LLC must be submitted with th	e application	
OWNER OR SHAREHOLDER NATUR	AL NAME			
CORPORATION, LLC, OR ORGANIZA	TION (if applicable)		DATE OF BIRTH	
		1		
OWNER ADDRESS (cannot be PO Be	ox or commercial mailing service)	CITY	STATE	ZIP
COUNTY	MOBILE PHONE	EMAIL		

Any changes to the names, addresses, and other information concerning the persons on this application must be provided in writing to the Department of Regulatory Services within ten days.

OWNER SIGNATURE

\_ DATE \_\_\_\_\_

#### APPLICATION CHECKLIST

your application isn't complete if you don't include these items

□ Completed management plan

□ Neighbor notification letter

□ Pre-inspection checklist

See the supplemental information attached to this application form for sample management plans, neighbor notification letters, and a pre-inspection checklist.

	EMERGENCY CONT	ACT (if different fr	om owner)		
an emergency contact is requ	red if the applicant lives further that	n 60 miles driving di	stance from the prope	rty and/or out	side the counties of
Anoka, Carver, Chisago, Dako	ta, Goodhue, Hennepin, Isanti, Lesu	eur, Mcleod, Ramse	y, Rice, Scott, Sherburi	ne, Sibley, Was	hington, or Wright
NAME OF AGENT/CONTACT				DATE OF BI	RTH
ADDRESS (connet he DO Rey or	commercial mailing convice)	СІТҮ		STATE	ZIP
ADDRESS (cannot be PO Box or o	commercial maining service)	CIT		STATE	216
COUNTY	PHONE	EMAIL			
		1			
I affirm by my signature below that	t I am in compliance with all rental l	icensing standards	NOTARY STA	• • •	I for emergency
	inances, Title 12, Chapter 244. I unders			contact)	
	and/or conditions shall be adequate grou nsion of my rental dwelling license. I acl		Subscribed and sworn	to before me on	of, 20
	vill hold me responsible for the maintena		Notary Public,	Co	unty
	ue for the above listed rental property				
1 1	tment of Regulatory Services will be m	ailed to me as the			
appointed agent/contact person as list					

EMERGENCY CONTACT SIGNATURE \_

\_\_\_\_ DATE \_\_

Space Reserved for Notary Stamp

If you have questions about	LICENSE CATEGORIES t fee amounts or applicability, please refer to the supple	mental information sheet.
Conversion	Change of Ownership $\Box$	Condominium 🗆
<ul><li>\$1000 conversion fee applies to the following:</li><li>1. Single family homes when the property was previously owner-occupied or has not</li></ul>	<ul><li>When a duplex, triplex, or fourplex changes ownership, regardless of when the property was last licensed, a \$450 change of ownership fee applies to the following:</li><li>1. Single family dwellings that do not meet</li></ul>	Condominium, co-op, or townhouse buildings containing six or more units on the same parcel are not subject to the conversion or change of ownership fee.
	<ul><li>the conversion definition</li><li>2. All duplexes, triplexes, and fourplexes</li><li>3. Mixed-use commercial properties containing one to four units</li></ul>	Apartment □ Rental buildings containing five or more units on the same parcel are not subject to the conversion or change of ownership fee.

CALCULATING YOUR LICENS	SE F	EES	

	License Fee	e (based on prop	perty condition tie	r)
	1-3 Unit E	Buildings	4+ Unit I	Buildings
	Building Fee	Fee Per Unit	Building Fee	Fee Per Unit
Tier 1	\$85	\$35	\$145	\$10
Tier 2	\$90	\$65	\$170	\$25
Tier 3	\$105	\$165	\$200	\$85

_			
	Supplementa	l Fee (based on pro	perty management
		fee level)	
		1-3 Unit	4+ Unit Buildings
		Buildings	4+ Onit Buildings
	Fee Level 1	\$0	\$0
	Fee Level 2	\$105	\$300
	Fee Level 3	\$210	\$500

	FEE CALCULATION	
1.	Number of units:	
2.	Multiply number of units by per unit license fee from above table:	
3.	Building fee:	
4.	Supplemental fee, if applicable:	
5.	\$250 administrative fee, if applicable:	
6.	\$450 change of ownership fee, if applicable:	
7.	\$1000 or \$750 (see next page) conversion fee, if applicable:	
	Total lines 2 through 7:	

#### **PAYMENT OPTIONS**

□ In person at the City of Minneapolis Service Center, Monday through Thursday, 8 a.m. to 4 p.m., and Friday, 9 a.m. to 4 p.m.:

Public Service Building 505 South 4<sup>th</sup> Avenue, Skyway Level Minneapolis, MN 55415

□ By mail, with a check payable to Minneapolis Finance Department, or the below credit or debit card information, mailed to:

Inspections Services 505 South 4<sup>th</sup> Avenue, Room 510A Minneapolis, MN 55415

MasterCard or Visa only

Card Number \_\_\_\_\_

Expiration Date \_\_\_\_\_ CVV \_\_\_\_\_

People who are deaf or hard of hearing can use a relay service to call 311 at 612-673-3000. TTY users call 612-263-6850. Para asistencia 612-673-2700 - Rau kev pab 612-673-2800 - Hadii aad Caawimaad u baahantahay 612-673-3500



# **Short-Term Rental Property Management Plan**

RENTAL PROPERTY ADDRESS (INCLUDE ADDRESS #, STREET NAME, & DIRECTIONAL), Apt/Unit#

	OWNER	INFORMATION		
OWNER OR SHAREHOLDER NATUR	AL NAME			
CORPORATION, LLC, OR ORGANIZA	TION (if applicable)		DATE OF BIR	ΓH
ADDRESS (cannot be PO Box or con	nmercial mailing service)	СІТҮ	STATE	ZIP
COUNTY	MOBILE PHONE	EMAIL		

# EMERGENCY CONTACT INFORMATION required if different from owner (this should be the same person listed on page two of your application if you live more than 60 miles away from the property) NAME/COMPANY CITY STATE ZIP ADDRESS CITY PHONE

What's your approach to dealing with conduct issues (e.g. trash in the yard, noise complaints, etc) on a property?

What's your noise mitigation plan?

What's your plan for on- or off-street parking at the property? What will your guests do if there's a snow emergency?

What's your maintenance schedule and plan? How do you respond to maintenance requests from your gues
--

# How can City staff contact you 24 hours a day, seven days a week?

		ACKNOWLEDGMENTS	
	and that the occupancy limit of ten (10) peo operties can have up to ten (10) people.		nean that all properties are allowed ten people, but tha
	(initial here)		
I will pos	t the following notices and information in a	conspicuous place within the unit:	
1.	311 Poster		
2.	Short-term rental license certificate		
3.	Emergency floor plan showing exits and es	cape routes	
	(initial here)		
	nt a neighbor notification letter directed to within fifty feet of the perimeter of the prop (initial here)		ccupants of any property within the subject building or erm rental unit is located on.
located w I, (print 1	within fifty feet of the perimeter of the prop (initial here)	perty line of the property the short-	
located w	within fifty feet of the perimeter of the prop (initial here)	perty line of the property the short-	erm rental unit is located on.
located w I, (print 1	within fifty feet of the perimeter of the prop (initial here) name)g:	perty line of the property the short-to-	erm rental unit is located on.
located w I, (print t following	within fifty feet of the perimeter of the prop	perty line of the property the short-to-	nanager or owner, hereby acknowledge and agree to the te documentation, and is a true and correct reflection of the
Iocated w I, (print a following	<pre>within fifty feet of the perimeter of the prop(initial here) name) g: The attached management plan addresses all undersigned's intentions; Any material change in the management plan Violation of this management plan may reference </pre>	perty line of the property the short-to- , an authorized property r l items listed above, includes comple un must be submitted to the Departme	nanager or owner, hereby acknowledge and agree to the te documentation, and is a true and correct reflection of the
Iocated w I, (print a following •	<pre>within fifty feet of the perimeter of the prop(initial here) name) g: The attached management plan addresses all undersigned's intentions; Any material change in the management pla Violation of this management plan may re administrative citations, and other fines; All written and electronic records necessary</pre>	berty line of the property the short-to- berty line of the property the short-to- berty line of the property r , an authorized property r l items listed above, includes comple an must be submitted to the Departme esult in enforcement actions, include	nanager or owner, hereby acknowledge and agree to the te documentation, and is a true and correct reflection of the ent of Regulatory Services;
Iocated w I, (print t following	<pre>within fifty feet of the perimeter of the prop(initial here) name) g: The attached management plan addresses all undersigned's intentions; Any material change in the management pla Violation of this management plan may re administrative citations, and other fines; All written and electronic records necessary days of the acceptance of the plan;</pre>	perty line of the property the short-to perty line of the property the short-to perty in a authorized property r l items listed above, includes comple an must be submitted to the Departme esult in enforcement actions, include to document the attached management	nanager or owner, hereby acknowledge and agree to the te documentation, and is a true and correct reflection of the ent of Regulatory Services; ing adverse actions against the short-term rental license

# **RESOURCES & IMPORTANT INFORMATION**

- <u>Rental License Inspection Checklist</u>
- Chapter 244 link
- <u>311 poster and RLIC certificate posting</u>

Greetings,

This purpose of this letter is to inform you that the property at the following address:

will be registering with the City of Minneapolis as a **Short Term Rental (STR) property** with the intention of publicly advertising the property for short term guest stays on websites like Airbnb and VRBO. You are receiving this letter because you are within fifty feet of the perimeter of this property.

As the owner of the property, I have agreed to follow the ordinances regarding STR properties:

- I will notify all neighboring property owners of my intention to register the property as an STR, which includes this letter or a similar communication.
- I will allow the City to inspect the property to make sure that it is safe.
- I will submit a management plan to the City that includes a floorplan and explains how I will respond to problems with the property.
- I will not host more guests than the number that are legally allowed to stay at my property, and understand that no matter how large the property is, the maximum is 10 people.
- For buildings with more than 20 units, no more than 10% of the units can be offered for STR stays at a time. Condos are exempt from this restriction.

You can see the ordinance and a full list of requirements here:

#### minneapolismn.gov/short-term-rentals

It's important that all lodging establishments in the City of Minneapolis meet basic standards for safety and livability. The City relies on guests and neighbors to help make this happen. Ways you can help include:

- Let me know if you have concerns about the rental property such as excessive noise or guests. If a management company is listed below, please contact them 24/7 with any issues.
- If your concerns aren't addressed, you believe that unsafe conditions exist, or the property isn't being managed, you can call 311 to make a report.
- If you witness a crime in progress or you believe that the fire department or an ambulance is needed urgently, call 911.

Thank you for partnering with residents, visitors, property owners and the City of Minneapolis to promote a safe and vibrant experience for all who live, work, and play here.

Sincerely,

Property Owner Name (Print)

Management Company Contact (Name)

Property Owner Signature

Management Company Phone Number

Property Owner Phone Number / Email

Management Company Email address

# Floor Plan Requirements / Sample Floor Plan

- 1. Short term rental units must include a floor plan posted by the entrance of the building. A sample is provided below. Plans must be professional. Hand drawn floor plans will be accepted if they are legible. SketchUp is a free software that can help with this process. www.sketchup.com
- 2. The occupancy limit of ten people is an upper limit and does not mean all properties are allowed ten people but rather that large properties can have up to ten people.
- 3. The following must be included:
  - a. Fire exits and escape routes
  - b. Address and direction of North
  - c. Every room (living, sleeping, kitchen, bathroom, furnace, etc.) labeled with room number and floor number.
  - d. Stairways





# Rental Property Checklist



Inspections Services is responsible for promoting the health, safety, and livability of the housing stock in the City of Minneapolis. Regular inspections of rental properties are conducted to ensure they are safe and well-maintained. The following checklist is a practical guide to many of the things that Housing Inspectors look for.

#### Exterior

#### EXTERIOR WALLS

- □ Soffit and fascia in good repair
- □ House numbers visible from public right of way
- □ Siding is weathertight and intact

PAINT

- □ Wood surfaces weather-protected
- No peeling, chipping, flaking or otherwise deteriorated paint

#### FOUNDATION

- □ Structurally sound
- □ Free from holes or gaps
- □ Proper grading

#### ROOF

- □ Free of leaks
- □ Structurally sound
- $\Box$  No loose or missing shingles
- □ Roof overhang free from deterioration and holes

#### **EXISTING GUTTERS & DOWNSPOUTS**

- □ Free of debris
- □ Properly attached and drains away from structure

CHIMNEY

- □ Tuckpointing/mortar in good repair
- □ Flue liner in good repair

#### PORCH/DECKS

□ Structurally sound and in good repair

Guardrails required if over 30 inches above grade **STAIRS/STEPS** 

- □ Securely attached and free of deterioration
- Graspable handrails required on stairs/steps with four or more steps/risers
- □ Snow shoveled at public sidewalk and all building exit doors

□ Continuous guardrails required on open sides of stairways 30 inches or more above grade

# Premises and Accessory Structures

#### GARAGES/SHEDS

- □ In good repair and structurally sound
- □ Not open to trespass
- □ Exterior surfaces weather-protected and intact

#### FENCES

- □ Well-maintained
- □ Wood surfaces weather-protected

#### YARD

- $\hfill\square$  Grass and weeds cut
- □ Proper grading and ground cover
- No litter, car parts, yard waste, construction waste, or other miscellaneous debris
- □ Firewood neatly stacked and properly stored
- □ Compost properly contained

#### VEHICLES/PARKING

- □ No commercial vehicle parking allowed
- Parking only on approved parking surfaces in approved locations
- □ No abandoned, unlicensed, or inoperable vehicles
- □ Two vehicle maximum per dwelling unit
- □ Car repair prohibited (except minor repairs to occupant-owned vehicles)

#### Interior

#### WALLS & CEILINGS

- In good repair
- □ No loose wallpaper
- □ Free from holes
- □ No flaking, chipping, or peeling paint
- □ Free from water damage

For reasonable accommodations or alternative formats please call the Regulatory Services Accessibility Line at 612-673-3221, or email <u>RegulatoryServicesADALine@minneapolismn.gov</u>.

People who are deaf or hard of hearing can use a relay service to call 311 at 612-673-3000.

TTY users can call 612-673-2157 or 612-673-2626.

Para asistencia 612-673-2700, Rau kev pab 612-673-2800,

Hadii aad Caawimaad u baahantahay 612-673-3500.

#### FLOORS

- □ In good repair
- □ No holes
- □ Structurally sound
- □ No trip hazards (i.e. torn carpet)

#### HALLWAY/STAIRS

- □ Clear pathway
- □ Handrails/guardrails securely attached
- □ Continuous guardrails required on open sides of landings/stairways 30 inches or more above grade
- □ Graspable handrails
- $\hfill\square$  Floor covering should be intact and secured to stairs

#### SLEEPING ROOMS

- Proper egress window or door open to the outside required
- □ Floor space shall be no less than 70 square feet with a seven foot minimum width
- □ Minimum ceiling height of seven feet
- □ Proper light and ventilation
- □ Window treatments required
- Minimum of two duplex electrical outlets or one duplex outlet and one switched overhead light fixture required per sleeping room

#### WINDOWS

- □ No broken/cracked glass
- □ Easily openable and remains open without the use of a prop
- □ Locks required within 24 feet above grade
- □ Openable windows must have screens in good repair
- □ Storm windows required except on double pane glass or better
- □ Weathertight
- □ Window frame and sashes must be free of cracked, chipped, peeling, chalking, or flaking paint and caulk

#### DOORS

- □ Fits frame and closes and latches securely
- □ Proper working hardware
- □ Weathertight and rodent proof
- Unit exit and entrance doors require deadbolt locks
- □ Storm/screen doors are maintained in good condition with functioning closers

#### KITCHEN

- $\hfill\square$  Cabinets and counters must be in good repair
- □ Hot (120 degrees) and cold running water with adequate pressure
- $\hfill\square$   $\hfill No loose or dripping faucets$
- $\hfill\square$  Drains must function properly, free of obstructions
- □ Appliances must be in working condition
- □ Appliances are plugged directly into outlets without the use of extension cords or adapters

□ Gas appliances must be connected properly with approved fittings/connectors

#### BATHROOM

- □ Sink and tub/shower properly installed and maintained in good repair with caulking intact
- □ Toilet properly installed with all components intact and properly secured, maintained and functioning
- □ Faucets must have a minimum one inch gap above the spill line
- □ Light fixture required
- □ Bathroom cabinets must be in good repair
- □ No loose or leaking faucets
- □ Water-impervious flooring
- □ Mechanical venting must work if present
- □ Hot and cold running water with adequate pressure required to each fixture
- □ Window treatments required

# Electrical, Mechanical & Plumbing

#### ELECTRICAL

- □ Adequate service and outlets
- □ Properly installed service panel
- □ Fixtures must be intact and properly functioning
- Extension cords cannot be used in lieu of permanent wiring
- □ Cover plates required on all outlets, switches, and junction boxes
- □ All wiring must be properly installed and maintained

#### MECHANICAL

- □ Heating facility must be properly installed and maintained
- Maintain interior temperature of 68 degrees from October to May
- Temporary heating devices shall not be used as primary source of heat
- □ Fuel burning facility must be connected to an approved chimney, flue, or vent
- □ A safety check of heating facilities over 10 years old is required every two years

#### PLUMBING

- □ Faucets must have a minimum one inch gap above the spill line
- □ All plumbing must be installed and maintained to code
- □ Gas flex connectors must be Underwriters Laboratory (UL) listed and approved
- □ Hot and cold running water with adequate pressure required to each fixture
- Waste lines must be properly installed and vented,
   "S" traps not allowed, no flexible waste lines
- $\hfill\square$   $\hfill$  Hand held showers must have backflow prevention

- □ No leaking faucets or pipes
- □ Unused gas & plumbing lines must be capped
- □ All pipes must be free from defects and obstruction, and properly secured

# **Fire Protection**

#### GENERAL

- Storage of paint, paper, boxes, rags or other combustible/flammable material not allowed within 10 feet of gas-fired appliances (furnaces, water heaters, etc.)
- □ Path of egress shall not be blocked by debris, storage, trash, snow, ice or other obstruction
- □ Third floor units require a second means of egress
- □ All stairways require continuous, graspable handrails
- Buildings with three or more units require fire extinguishers
- □ If multiple units of a three unit or greater building lead into a common area, doors leading from the units shall have fire rated doors with closers

#### **SMOKE DETECTORS**

- □ All smoke detectors shall be installed to code and to manufacturer's requirements with working batteries and functional connections
- □ Locate at least one smoke detector on each level, not including crawl spaces and uninhabitable attics
- □ Locate a smoke detector within close proximity to the outside of sleeping rooms
- Any smoke detector located within 20 feet of a cooking appliance must be equipped with a silencing switch or be photoelectric

#### CARBON MONOXIDE DETECTORS

- □ All carbon monoxide detectors shall be installed to code and to manufacturer's requirements with working batteries and functional connections
- □ Locate carbon monoxide detectors within 10 feet of sleeping rooms

# Occupancy

- Cellars/crawlspaces shall not be used as habitable space
- Basements and attics must meet all permit construction requirements for light, ventilation, egress, etc. prior to being used as habitable space

# Permit Requirements

- □ Rental license must be current with fees paid and up to date contact information
- □ Electrical, plumbing, and mechanical work in rental property requires a licensed contractor
- □ Any structural alterations or changes in building configuration require a permit

- New dwelling units within existing buildings require zoning approval, plan review and proper permits prior to habitation
- □ When interior alterations, repairs or additions requiring a permit occur, the dwelling unit must be provided with smoke alarms located as required for *new* dwellings and the smoke alarms must be interconnected and hard wired. Exception: smoke alarms in existing areas shall not be required to be interconnected and hard wired where the alterations or repairs do not result in the removal of interior wall or ceiling finishes exposing the structure.
- □ Visit <u>minneapolismn.gov/mdr/permits</u> for other requirements or clarification

# **Required Posted Notices**

ALL RENTAL PROPERTIES

- □ Who to Call poster
- Rental License Certificate

SHORT TERM RENTAL SPECIFIC

- □ Contact Information: Owner and Emergency
- Short Term Rental Certificate
- □ Floor plan indicating fire exits and escape routes

# **General Information**

The above checklist is based on the Minneapolis Code of Ordinances—in particular, the Housing Maintenance Code, which can be found in Chapter 244.

For more information, please visit our website at <u>minneapolismn.gov/rental-licenses</u> where you can learn more about rental licensing, regulations, housing code and other helpful resources.

To report a problem, call 311 or dial 612-673-3000 if outside of the city limits.